



PRICELIST 2025

INDUSTRIAL PLUGS
AND SOCKETS

VN




CEE receptacles

		Protection type	Rating Amp.	No. of poles	230 V 50 a. 60 Hz	400 V 50 a. 60 Hz	Price in VND before VAT
					Part no.	Part no.	
	CEE wall mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, external fixing, top entry	IP44	16	3	1341		280,000
		IP44	16	4		1343	295,000
		IP44	16	5		31	328,000
		IP44	32	3	1346		363,000
	63 A: X-CONTACT, with screw terminals, internal fixing, top and bottom entry	IP44	32	4		1348	370,000
		IP44	32	5		32	443,000
		IP44	63	3	1137A		1,275,000
		IP44	63	4		1141A	1,283,000
		IP44	63	5		1145A	1,420,000
	CEE wall mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, highly resistant to chemicals, top entry	IP67	16	3	9105		511,000
		IP67	16	4		9122	575,000
		IP67	16	5		9142	680,000
		IP67	32	3	9151		714,000
	63 A: X-CONTACT, with screw terminals, top and bottom entry	IP67	32	4		9172	727,000
		IP67	32	5		9182	863,000
		IP67	63	3	128A		1,997,000
		IP67	63	4		132A	2,013,000
		IP67	63	5		136A	2,191,000
	CEE wall mounted receptacles X-CONTACT, top and bottom entry, with screw terminals	IP67	125	3	24464		7,485,000
		IP67	125	4		139	6,843,000
		IP67	125	5		143	7,031,000
	CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, 20° inclination	IP44	16	3	1632		218,000
		IP44	16	4		1638	265,000
		IP44	16	5		1473 / 3473	290,000
		IP44	32	3	1734		314,000
	63 A: X-CONTACT, with screw terminals, 20° inclination, highly heat resistant contact carrier	IP44	32	4		1496 / 1740	339,000
		IP44	32	5		1746	366,000
		IP44	63	3	1147A		1,087,000
		IP44	63	4		1151A	1,100,000
		IP44	63	5		1155A	1,221,000
	CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, straight	IP44	16	3	1668		218,000
		IP44	16	4		1674	265,000
		IP44	16	5		3385	290,000
		IP44	32	3	1787		314,000
	63 A: X-CONTACT, with screw terminals, straight	IP44	32	4		1791	339,000
		IP44	32	5		1797	366,000
		IP44	63	3	1261A		1,087,000
		IP44	63	4		1248A	1,100,000
		IP44	63	5		1252A	1,221,000

CEE receptacles / CEE plugs

	Protection type	Rating Amp.	No. of poles	230 V 50 a. 60 Hz	400 V 50 a. 60 Hz	Price in VND before VAT
				Part no.	Part no.	
 CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, 20° inclination 63 A: X-CONTACT, with screw terminals, 20° inclination	IP67	16	3	1701		326,000
	IP67	16	4		1704	387,000
	IP67	16	5		1485 / 3485	479,000
	IP67	32	3	1802		468,000
	IP67	32	4		1805	481,000
	IP67	32	5		1808	577,000
	IP67	63	3	2180A		1,372,000
	IP67	63	4		205A	1,391,000
	IP67	63	5		209A	1,455,000
 CEE panel mounted receptacles X-CONTACT, 15° inclination, with screw terminals	IP67	125	3	3575		5,146,000
	IP67	125	4		212A	4,653,000
	IP67	125	5		216A	5,009,000
 CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, straight 63 A: X-CONTACT, with screw terminals, straight	IP67	16	3	1708		326,000
	IP67	16	4		1712	387,000
	IP67	16	5		1131	479,000
	IP67	32	3	1810		468,000
	IP67	32	4		1814	481,000
	IP67	32	5		1820	577,000
	IP67	63	3	1264A		1,372,000
	IP67	63	4		1124A	1,391,000
	IP67	63	5		1128A	1,455,000
 CEE panel mounted receptacles X-CONTACT, straight, with screw terminals	IP67	125	3	3380		5,146,000
	IP67	125	4		1457	4,653,000
	IP67	125	5		1461	5,009,000
 16 A - 32 A: CEE plugs PowerTOP Xtra with ErgoCONTACT 63 A: CEE plugs PowerTOP Xtra R highly heat resistant contact carrier, frame terminals, nickel plated contacts	IP54	16	3	13502		159,000
	IP54	16	4		13506	197,000
	IP54	16	5		13510	219,000
	IP54	32	3	260 / 13513		260,000
	IP54	32	4		13516	288,000
	IP54	32	5		13520	325,000
	IP54	63	3	13102		1,544,000
	IP54	63	4		13106	1,583,000
	IP54	63	5		13112	1,638,000

CEE plugs and connectors

		Protection type	Rating Amp.	No. of poles	230 V 50 a. 60 Hz	400 V 50 a. 60 Hz	Price in VND before VAT		
					Part no.	Part no.			
NEW		CEE plugs PowerTOP Xtra with ErgoCONTACT ergonomic enclosure design with nubbed grip zones, rubberised cable gland with sealing, rubberised bayonet ring, sealed against dust, temporary submersion and high pressure cleaning * Available from Q2 2025 ** previous part number		IP67 / IP69	16	3	278 / 13620		272,000
		IP67 / IP69	16	4		13622* (282**)	332,000		
		IP67 / IP69	16	5		288 / 13624	371,000		
		IP67 / IP69	32	3	13625* (290**)		407,000		
		IP67 / IP69	32	4		13627* (294**)	430,000		
		IP67 / IP69	32	5		300 / 13629	610,000		
	CEE plugs PowerTOP Xtra R highly heat resistant contact carrier, frame terminals, nickel plated contacts		IP67	63	3	13202		2,052,000	
	IP67	63	4		13206	2,073,000			
	IP67	63	5		13212	2,233,000			
	IP67	125	3	13216		5,784,000			
	IP67	125	4		13219	5,853,000			
	IP67	125	5		13225	6,148,000			
	16 A - 32 A: CEE connectors PowerTOP Xtra with ErgoCONTACT X-CONTACT		IP54	16	3	14502		206,000	
			IP54	16	4		14506	240,000	
			IP54	16	5		14510	284,000	
			IP54	32	3	14513		326,000	
	63 A: CEE connectors PowerTOP Xtra X-CONTACT , highly heat resistant contact carrier, frame terminals		IP54	32	4		14516	344,000	
			IP54	32	5		14520	401,000	
			IP54	63	3	14102		1,784,000	
			IP54	63	4		14106	1,840,000	
			IP54	63	5		14112	1,664,000	
NEW		CEE connectors PowerTOP Xtra with ErgoCONTACT X-CONTACT, ergonomic enclosure design with nubbed grip zones, rubberised cable gland with sealing, rubberised bayonet ring, sealed against dust, temporary submersion and high pressure cleaning * Available from Q2 2025 ** previous part number		IP67 / IP69	16	3	540 / 14620		339,000
		IP67 / IP69	16	4		14622* (544**)	431,000		
		IP67 / IP69	16	5		550 / 14624	533,000		
		IP67 / IP69	32	3	14625* (552**)		526,000		
		IP67 / IP69	32	4		14627* (556**)	537,000		
		IP67 / IP69	32	5		562 / 14629	649,000		
	CEE connectors PowerTOP Xtra X-CONTACT , highly heat resistant contact carrier, frame terminals		IP67	63	3	14202		2,337,000	
	IP67	63	4		14206	2,376,000			
	IP67	63	5		14212	2,548,000			
	IP67	125	3	14216		6,347,000			
	IP67	125	4		14219	6,631,000			
	IP67	125	5		14225	6,912,000			

CEE receptacles switched and interlocked

		Protection type	Rating Amp.	No. of poles	230 V 50 a. 60 Hz	400 V 50 a. 60 Hz	Price in VND before VAT
					Part no.	Part no.	
	CEE wall mounted receptacles X-CONTACT, switched, mechanical DUO-interlock, 3 pole switch	IP44	16	3	5601306G		3,691,000
		IP44	16	4		5601406G	3,769,000
		IP44	16	5		5601506G	3,842,000
		IP44	32	3	5603306G		4,315,000
		IP44	32	4		5603406G	4,397,000
		IP44	32	5		5603506G	4,514,000
NEW 	CEE wall mounted receptacles DUOi LED voltage indicator, X-CONTACT, switched, mechanical DUO-interlock, 3 pole switch	IP44	16	3	5611306G		5,957,000
		IP44	16	4		5611406G	6,334,000
		IP44	16	5		5611506G	6,411,000
		IP44	32	3	5613306G		6,131,000
		IP44	32	4		5613406G	6,518,000
		IP44	32	5		5613506G	6,654,000
	CEE wall mounted receptacles X-CONTACT, switched, mechanical DUO-interlock	IP44	63	3	6571		8,182,000
		IP44	63	4		5956A	8,382,000
		IP44	63	5		5959A	8,581,000
	CEE wall mounted receptacles X-CONTACT, switched, mechanical DUO-interlock, 3 pole switch	IP67 / IP69	16	3	5602306G		4,024,000
		IP67 / IP69	16	4		5602406G	4,146,000
		IP67 / IP69	16	5		5602506G	4,227,000
		IP67 / IP69	32	3	5604306G		4,906,000
		IP67 / IP69	32	4		5604406G	5,007,000
		IP67 / IP69	32	5		5604506G	5,172,000
NEW 	CEE wall mounted receptacles DUOi LED voltage indicator, X-CONTACT, switched, mechanical DUO-interlock, 3 pole switch, sealed against dust, temporary submersion and high pressure cleaning	IP67 / IP69	16	3	5612306G		7,027,000
		IP67 / IP69	16	4		5612406G	7,485,000
		IP67 / IP69	16	5		5612506G	7,601,000
		IP67 / IP69	32	3	5614306G		7,307,000
		IP67 / IP69	32	4		5614406G	7,757,000
		IP67 / IP69	32	5		5614506G	8,008,000

CEE receptacles switched and interlocked / SCHUKO® and grounding-type

	Protection type	Rating Amp.	No. of poles	230 V 50 a. 60 Hz	400 V 50 a. 60 Hz	Price in VND before VAT
				Part no.	Part no.	
 CEE wall mounted receptacles X-CONTACT, switched, mechanical DUO-interlock	IP67	63	3	5911A		8,881,000
	IP67	63	4		5110A	9,080,000
	IP67	63	5		5113A	9,280,000
 CEE wall mounted receptacles X-CONTACT, switched, mechanical DUO-interlock	IP67	125	3	7000		32,201,000
	IP67	125	4		5691A	33,246,000
	IP67	125	5		5692A	34,813,000
 SCHUKO® panel mounted receptacles * with screw terminals	IP54	16	2p+E	11010 grey		154,000
	IP54	16	2p+E	11011 blue		154,000
	IP54	16	2p+E	11030 grey*		154,000
	IP54	16	2p+E	11031 blue*		154,000
 Base for wall mounted receptacles				10714 grey		152,000
				10715 blue		152,000
 Wall mounted receptacles SCHUKO®	IP44	16	2p+E	10081 grey		265,000
	IP44	16	2p+E	10082 blue		265,000
 Plugs SCHUKO®	IP44	16	2p+E	10749 grey		174,000
	IP44	16	2p+E	10838 blue		174,000
 Connectors SCHUKO®	IP44	16	2p+E	10751 grey		248,000
	IP44	16	2p+E	10843 blue		248,000

CEE plugs and sockets for container and terminals

		Protection type	Rating Amp.	No. of poles	380 - 440 V 50 a. 60 Hz Part no.	Price in VND before VAT
	CEE wall mounted receptacle highly heat resistant contact carrier and nickel plated contacts	IP67	32	4	9562	1,004,000
	CEE wall mounted receptacle R / DUOi R highly heat resistant contact carrier, nickel plated contacts, switched, mechanical DUO-interlock * LED voltage indicator, sealed against dust, temporary submersion and high pressure cleaning	IP67 / IP69	32	4	5704403G	5,876,000
		IP67 / IP69	32	4	5714403G*	6,909,000
	CEE panel mounted receptacle highly heat resistant contact carrier and nickel plated contacts	IP67	32	4	2123A	719,000
	CEE plug AM-TOP single part body, screw terminals, highly heat resistant contact carrier and nickel plated contacts, cable gland and sealing	IP67	32	4	2175B	551,000
	CEE connector AM-TOP single part body, screw terminals, highly heat resistant contact carrier and nickel plated contacts, cable gland and sealing	IP67	32	4	2177A	708,000

AMAXX
Variety of version.

- Protection type: IP44 and IP67 (comply to IEC 61439-3)
- Enclosure made of high-quality plastic or AMELAN in aggressive atmospheres with high resistance to chemicals as well as highly heat resistant contact carrier and nickel plated contacts
- Equipped with: CEE receptacles from 16 A, 3 p up to 63 A, 5 p, grounding-type receptacles in acc. with many national standards, DUO receptacles switched and interlocked from 16 A, 3 p up to 32 A, 5 p as well as fuse elements





MENNEKES Electric Singapore Pte. Ltd.

No. 3 International Business Park
03-28 Nordic European Centre
SINGAPORE 609927
SINGAPORE

Phone: + 84 8 38 104 561
Fax: + 84 8 38 104 561
info@MENNEKES.com.vn

www.MENNEKES.org

MENNEKES

Elektrotechnik GmbH & Co. KG

Aloys-Mennekes-Str. 1
57399 KIRCHHUNDEM
GERMANY

Phone: + 49 2723 41-1
Fax: + 49 2723 41-214
info@MENNEKES.de

www.MENNEKES.org



12/24PDF

Subject to modification.
No liability for misprints.

**Platzhalter FSC-
Logo**

