

BẢNG GIÁ THIẾT BỊ ĐIỆN



TECO

Áp dụng từ ngày 01/01/2025 - Giá đã bao gồm thuế VAT 10%



Make a Better World with **TECO**



www.saigonelectric.vn

▼ MCB - CB Tép



| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|-------------|-------------------|----------|---------------|
| TJ-636S 1P | 6-10-16-20-25-32A | 6 | 50,000 |
| | 40-50-63A | 6 | 55,000 |
| TJ-636S 2P | 6-10-16-20-25-32A | 6 | 100,000 |
| | 40-50-63A | 6 | 110,000 |
| TJ-636S 3P | 6-10-16-20-25-32A | 6 | 150,000 |
| | 40-50-63A | 6 | 165,000 |
| TJ-6310S 1P | 6-10-16-20-25-32A | 10 | 58,000 |
| | 40-50-63A | 10 | 64,000 |
| TJ-6310S 2P | 6-10-16-20-25-32A | 10 | 116,000 |
| | 40-50-63A | 10 | 128,000 |
| TJ-6310S 3P | 6-10-16-20-25-32A | 10 | 174,000 |
| | 40-50-63A | 10 | 192,000 |
| TJ-6310S 4P | 6-10-16-20-25-32A | 10 | 203,500 |
| | 40-50-63A | 10 | 231,000 |
| TJ-100S 1P | 80-100A | 10 | 143,000 |
| TJ-100S 2P | 80-100A | 10 | 264,000 |
| TJ-100S 3P | 80-100A | 10 | 396,000 |
| TJ-100S 4P | 80-100A | 10 | 528,000 |

▼ RCCB/ELCB (CB Chống Giật, Dòng Rò)

| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|------------|----------------|----------|---------------|
| RC-362 2P | 25-32-40-63A | 2.5 | 332,000 |
| RC-364 4P | | | 460,000 |
| RCBO 1P+N | 16-20-25-32A | 6 | 315,000 |
| TLB-100 3P | 15-20-30-40 | 7.5/3.8 | |
| TLB-100 4P | 50-60-75-100A | | |
| TLB-125 3P | 15-20-30-40-50 | 15/7.5 | |
| TLB-125 4P | 60-75-100-125A | | |
| TLB-250 3P | 125~250A | 15/7.5 | |

▼ MCCB (APTOMAT) Loại 3 Pha IEC 60947-2 AC 380V

| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|-----------|--------------|----------|---------------|
| TVM1-1000 | 800 ~ 1000A | 85 | 24,962,000 |
| TVM1-1250 | 1000 ~ 1250A | 85 | 28,839,000 |

▼ MCCB Loại 3 Pha Điện Tử

| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|---------|-----------|----------|---------------|
| TE-1600 | 800~1600A | 100 | 59,400,000 |

▼ MCCB (APTOMAT) Loại 3 Pha IEC 60947-2 380V

| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|---------|-------------------------------------|----------|---------------|
| TBX-63 | 16-20-25-32-40 50-63A | 35 | 932,000 |
| | | 50 | 1,092,000 |
| | | 65 | |
| TBX-125 | 16-20-25-32-40 50-63-80-100-125A | 35 | 1,305,000 |
| | | 65 | 1,490,000 |
| | | 85 | |
| TBX-250 | 100-125-140-160 180-200-225-250A | 45 | 1,864,000 |
| | | 65 | 2,263,000 |
| | | 85 | |
| TBX-400 | 225-250-315 350-400A | 50 | 5,591,000 |
| | | 65 | 6,232,000 |
| | | 100 | |
| TBX-630 | 500-630A | 65 | 9,437,000 |
| | | 85 | 10,350,000 |
| | | 100 | |
| TBX-800 | 630-700-800A | 65 | 11,737,000 |
| | | 85 | 13,915,000 |
| | | 100 | |

▼ MCCB (APTOMAT) Loại 4 Pha IEC 60947-2 380V


| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|---------|-------------------------------------|----------|---------------|
| TBX-63 | 16-20-25-32-40 50-63A | 35 | 1,364,000 |
| | | 50 | |
| | | 65 | |
| TBX-125 | 16-20-25-32-40 50-63-80-100-125A | 35 | 1,872,000 |
| | | 65 | |
| | | 85 | |
| TBX-250 | 100-125-140-160 180-200-225-250A | 45 | 2,760,000 |
| | | 65 | |
| | | 85 | |
| TBX-400 | 225-250-315 350-400A | 50 | 7,482,000 |
| | | 65 | |
| | | 100 | |
| TBX-630 | 500-630A | 65 | 12,192,000 |
| | | 85 | |
| | | 100 | |
| TBX-800 | 630-700-800A | 65 | 17,136,000 |
| | | 85 | |
| | | 100 | |

0916 682442


www.saigonelectric.vn

Bạn có Tâm - Tôi có Tâm

▼ **RCCB/ELCB (CB Chống Giật, Dòng Rò)**

| | | |
|---|-------------|-------------|
| Frame size (AF) | 63 | |
| Type | RC-362S | RC-364S |
| Number of Poles | 2 | 4 |
| Rated Current (A) | 25-32-40-63 | 25-32-40-63 |
| At ambient temperature Rated breaking capacity (kA) | 6 | |
| IEC 60947-2 AC 400V Icu (kA) | | |
| Dimensions (mm) | a | 72 |
|  | b | 82 |
| | c | 50 |
| | d | 75 |
| | aa | |
| | bb | |
| | Weight(kg) | 0.2 |

▼ **MCB - CB Tép**



| | | | | |
|--|------------------|------------------|------------------|------------------|
| Frame size (AF) | 63 | | | |
| Type | TJ-636S | | | |
| Number of Poles | 1 | 2 | 3 | 4 |
| Rated current (A) | 6-10-16-20-25-32 | 6-10-16-20-25-32 | 6-10-16-20-25-32 | 6-10-16-20-25-32 |
| At ambient temperature Rated breaking capacity (kA) | 6 | | | |
| IEC 60947-2 AC 400V Icu (kA) | | | | |
| Dimensions (mm) | a | 18 | 36 | 54 |
|  | b | 82 | | |
| | c | 50 | | |
| | d | 75 | | |
| | aa | | | |
| | bb | | | |
| | Weight(kg) | 0.1 | 0.2 | 0.3 |

▼ **CONTACTOR AC 3 Pha**

| Mã Hàng | In (A) | AUX | Giá Bán (VND) |
|---|--------|----------|---------------|
|  CU-11 | 11A | 1a or 1b | 294,000 |
| CU-16 | 16A | 1a or 1b | 399,000 |
|  CU-18 | 18A | 1a1b | 451,000 |
| CU-22 | 22A | 1a1b | 484,000 |
|  CU-32R | 32A | 1a1b | 638,000 |
| CU-40 | 40A | 1a1b | 1,149,000 |
|  CU-50R | 50A | 2a2b | 1,390,000 |
| CU-65R | 65A | 2a2b | 1,500,000 |
|  CU-80 | 80A | 2a2b | 1,864,000 |
| CU-90 | 90A | 2a2b | 2,239,000 |
|  CN-100R | 100A | 2a2b | 2,541,000 |
| CN-125R | 125A | 2a2b | 2,910,000 |
|  CN-150R | 150A | 2a2b | 4,719,000 |
| CN-180 | 180A | 2a2b | 5,742,000 |
|  CN-220R | 220A | 2a2b | 6,270,000 |
| CN-300 | 300A | 2a2b | 9,009,000 |
|  CN-400 | 400A | 2a2b | 15,180,000 |
| CN-500 | 500A | 2a2b | 17,545,000 |
|  CN-630 | 630A | 2a2b | 24,200,000 |


▼ **TIẾP ĐIỂM PHỤ**

(PHỤ KIỆN CONTACTOR)

| Mã Hàng | Kết Hợp Contactor | AUX | Giá Bán (VND) |
|--|-------------------|-------------------------|---------------|
|  CNA-111SR (Bên hông) | CU-11~CU-40 | 1a1b | 121,000 |
| CNA-111BC (Bên hông) | CN-100R~CN-300 | 1a1b | 121,000 |
|  CUA-2 (Phía trên) | CU-11~CU-90 | 1a1b 2a,2b | 110,000 |
| CUA-4 (Phía trên) | | 2a2b,4a,4b 1a3b,3a1b | 143,000 |


▼ **KHOÁ LIÊN ĐỘNG**

(PHỤ KIỆN CONTACTOR)

| Mã Hàng | Kết Hợp Contactor | AUX | Giá Bán (VND) |
|---|-------------------|-----|---------------|
|  CI-18 | CU-11~32R | - | 88,000 |
| CI-35 | CU-40~90 | - | 110,000 |
| CNI-100 | CN-100R~300 | - | 165,000 |


▼ **POWER METER - ĐỒNG HỒ ĐA NĂNG**


IEC 62053-23

| Mã Hàng | In (A) | Icu (kA) | Giá Bán (VND) |
|---|--------|----------|---------------|
|  TMM-320 | | | 7,200,000 |
| TMM-20 | | | 9,200,000 |

▼ **KHỞI ĐỘNG TỰ HỘP**

(PHỤ KIỆN CONTACTOR)



| Mã Hàng | Kết hợp Relay Nhiệt | Giá Bán (VND) |
|---|---------------------|---------------|
|  HUEB-11 | RHU-10 | 557,000 |
| HUEB-16 | RHU-10 | 690,000 |
| HUPB-18 | RHU-10 | 847,000 |

| Mã Hàng | Kết hợp Relay Nhiệt | Giá Bán (VND) |
|---|---------------------|---------------|
|  HUB-32R | RHU-10 | 1,331,000 |
| HUB-40 | RHU-80 | |
| HUB-65 | RHU-80 | |

Bạn có Tâm - Tôi có Tâm

▼ RELAY NHIỆT

(PHỤ KIỆN CONTACTOR)


| Mã Hàng | In (A) | Kết hợp Contactor | Giá Bán (VND) |
|---|--|-----------------------|---------------|
|  RHU-10/*1 | 0.25~0.4, 0.35~0.5, 0.45~0.63 0.55~0.8, 0.75~1.0, 9~1.3, 1.1~1.6 1.4~2, 1.8~2.5, 2.3~3.2, 2.9~4 3.5~4.8, 4.5~6.3, 5.5~7.5, 7.2~10 | CU-11/16 18/22/32R | 266,200 |
| | 9~12.5, 11.3~16, 15~20 17.5~21.5, 21~25, 24.5~30, 29~36 | | 297,000 |
| | RHU-80/*2 | 17~25, 24.5~36, 35~47 | CU-40 |
|  RHU-80/*3 | 24.5~36, 34~47, 45~60 | CU-50/65 | 695,000 |
| | 58~75, 72~90 | CU-90 | 836,000 |

| Mã Hàng | In (A) | Kết hợp Contactor | Giá Bán (VND) |
|-----------|-------------------|-------------------|---------------|
| RHN-300/K | 87~120, 105~144A | CN-100R/125R | 4,290,000 |
| RHN-300/K | 154~200, 175~240A | CN-150R/180,220 | 4,395,000 |
| | 203~280, 246~336A | CN-300 | |

▼ TSS (CB Cốc)


| Mã Hàng | In (A) | kA | Giá Bán (VND) |
|---------|------------------|-----|---------------|
| SB | 6-10-16-20-25-32 | 1.5 | |

▼ ACB FIXED TYPE (Máy Cắt Không Khí Loại Cố Định Đã Bao Gồm MC, CC, SHT, AX)

| Mã Hàng | Ampe | kA | Giá Bán (VND) |
|---|-------|-----|---------------|
|  BAW-1250 3P | 630A | 65 | |
| | 800A | | |
| | 1000A | | |
| | 1250A | | |
| BAW-1600 3P | 1600A | 100 | |
| | 2000A | | |
| BAW-3200 3P | 2500A | 100 | |
| | 3200A | | |


| Mã Hàng | Ampe | kA | Giá Bán (VND) |
|-------------|-------|-----|---------------|
| BAW-1250 4P | 630A | 65 | |
| | 800A | | |
| | 1000A | | |
| | 1250A | | |
| BAW-1600 4P | 1600A | 100 | |
| | 2000A | | |
| BAW-3200 4P | 2500A | 100 | |
| | 3200A | | |

▼ ACB DRAW OUT TYPE (Máy Cắt Không Khí Loại Rời Đã Bao Gồm MC, CC, SHT, AX)

| Mã Hàng | Ampe | kA | Giá Bán (VND) |
|---|-------|-----|---------------|
|  BAW-1250 3P | 630A | 65 | |
| | 800A | | |
| | 1000A | | |
| | 1250A | | |
| BAW-1600 3P | 1600A | 100 | |
| | 2000A | | |
| BAW-3200 3P | 2500A | 100 | |
| | 3200A | | |
| | 4000A | | |
| BAW-6300 3P | 5000A | 120 | |
| | 6000A | | |

| Mã Hàng | Ampe | kA | Giá Bán (VND) |
|-------------|-------|-----|---------------|
| BAW-1250 4P | 630A | 65 | |
| | 800A | | |
| | 1000A | | |
| | 1250A | | |
| BAW-1600 4P | 1600A | 100 | |
| | 2000A | | |
| BAW-3200 4P | 2500A | 100 | |
| | 3200A | | |
| | 4000A | | |
| BAW-6300 4P | 5000A | 120 | |
| | 6000A | | |

Nhà Phân Phối:



▼ PHỤ KIỆN ACB

| Mã Hàng | Giá Bán (VND) |
|-----------------------|---------------|
| Tám Chấn Pha | |
| Doorflame | |
| UVT Bộ bảo vệ thấp áp | |
| Khóa liên động 2-way | |
| Khóa liên động 3-way | |

*Thời gian đặt hàng 75~90 ngày đối với hàng không có sẵn.